



RADICI PIETRO INDUSTRIES & BRANDS S.p.A.



DOLCE VITA SB



Specification in according EN 1307

Costruzione	Technique de fabrication	Construction	Herstellungsverfahren
Tufting velluto 5/32"	Tufted velours 5/32"	Tufted cut pile 5/32"	Getufted Velours 5/32"
Composizione 100% poliammide	Composition du velours 100% polyamide	Pile composition 100% polyamid	Polnutschicht 100% polyamid
Sottofondo 50% Lattice naturale 50% Lattice sintetico	Dossier 50% Latex naturelle 50% Latex synthétique	Secondary backing 50% Natural latex 50% Synthetic latex	Rückenausüstung 50% Naturlatex 50% Synthetische-latex
Punti al m² ± 140000	Touffes au m² ± 140000	Stitches per m² ± 140000	Knoten m² ± 140000
Altezza pelo ± 12.7 mm	Hauteur du velours ± 12.7 mm	Pile height ± 12.7 mm	Polhöhe ± 12.7 mm
Altezza totale ± 15 mm	Hauteur totale ± 15 mm	Total height ± 15 mm	Gesamtdicke ± 15 mm
Peso della fibra ± 1500 g/m ²	Poids du velours ± 1500 g/m ²	Yarn weight ± 1500 g/m ²	Polgewicht ± 1500 g/m ²
Peso totale ± 2650 g/m ²	Poids total ± 2650 g/m ²	Total weight ± 2650 g/m ²	Gesamtgewicht ± 2650 g/m ²
Larghezza rotolo 400 cm	Largeur du rouleau 400 cm	Roll width 400 cm	Breite 400 cm
Famiglia Tufting 16	Famiglia Tufting 16	Famiglia Tufting 16	Famiglia Tufting 16



Colour fastness to light	≥ 5 (4 pastel shade)	Thermal resistance m ² K/W	≤ 0,17
Insulation impact noise ΔLw	35 dB	Body voltage walking test kV	≤ 2
Acoustical absorption α _w	0,20		

RESISTENZA – WEARABILITY RESISTANCE - STRAPAZIERWERT				COMFORT – COMFORT CONFORT - KOMFORTWERT			
estrema extreme extrême extrem	elevata high élevée stark	normale good normale normal	sufficiente normal suffisante gering	medio medium moyen einfach	buono good bon gut	alto very good élévé hoch	ottimo excellent excellent luxuriös

Approved by Technique Management: M. Medica

Date: 09/11/2012